






Freedom, flexibility and eco-friendly functionality - EcoSmart's freestanding bioethanol fireplaces add warmth, style and ambiance to living and entertaining spaces. Cleverly refashioning the traditional fireplace concept into a piece of portable fire furniture means that you can now enjoy the simple pleasures of an open fire in more places than ever before. **Relocate With Ease** Bioethanol outdoor fireplaces **Optional Fire Screens Black Glass Charcoal** relocate with ease, and this portability is greatly enhanced by The Black Glass Charcoal is made from high-Pair with a toughened the self contained engineering of the glass fire screen, which quality tempered glass and has been designed EcoSmart system. There is no need stabilises the flame in windy to withstand harsh weather and temperatures for a utility connection, which means conditions. of up to 1300°F/700°C without ever cracking, or you can transform the look and feel losing its color or shape. Black Glass Charcoal of your outdoor entertaining area does not emit any toxic fumes, smoke, or ash so when desired. it is extremely easy to maintain and clean. Or, leave your fireplace in a permanent position on the patio and design an Colours enchanting outdoor space using the fireplace as the focal point. It has never Our concrete models come in three different been this easy to design a backyard or colours: Natural, Graphite and Bone. courtyard that feels so inviting. NATURAL GRAPHITE BONE Available in Two Sizes The POD Series is available in two sizes - 40 and 30 - and are striking either standalone or together. **Environmentally-Friendly** Versatile and Incredibly Durable Bioethanol fireplaces use an EcoSmart portable fireplaces are versatile, environmentally-friendly, renewable **Ground Fixing Brackets** incredibly durable, and are constructed of energy source that burns clean and heavy-gauge glass and weather resistant Models come with fixing delivers warming heat. You and your materials. These appliances are designed brackets for permanently guests will enjoy the ambiance and to look great for years, and will perform locating into a fixed position. tranquility of a real fire, without the admirably through all four seasons. hassles of burning real wood - no more embers, ash, and soot to clean up. OPTIONAL CCESSORIE Fire Screens Protective Station Tank Stool/Side Table Stool/Side Table Covers

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. The Fire Company Pty Ltd (TFC), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "The Fire Company"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. TFC disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify TFC Pt2s terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estopped or otherwise, to any intellectual property rights is granted by this document or by any conduct of TFC. Customers using or selling TFC products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify TFC for any damages are indicative only.







Indoor & Outdoor	
Fluid Concrete Technology, Grade 304 Stainless Steel, Included Black Glass Charcoal	
42.9kg [94.5lbs] & 53.9kg [118.7lbs] Weight includes burner and black glass charcoal.	
POD30 = ESF.1.O. PD3 POD40 = ESF.1.O. PD4	
Natural	ESF.1.O.(model).NA
Bone	ESF.1.O.(model).BO
Graphite	ESF.1.O.(model).GH
Fire Screen, Protective Covers, Station, Tank	
	Fluid Concrete Te Grade 304 Stainlincluded Black G 42.9kg [94.5lbs] & Weight includes burner POD30 = ESF.1.C POD40 = ESF.1.C Natural Bone Graphite Fire Screen, Prote

BURNER INFORMATION*

Burner	AB8
Fuel Type	e-NRG Bioethanol
Fuel Capacity	8 Litres [2.1 Gallons]
Heats on Average (when used indoors)	Over 60 square metres [645 square feet]
Burn Time	7 - 11 hours (approx)
Minimum Room Size	116 cubic metres [4096 cubic feet] per fireplace.

^{*} The efficiency data outlined above is indicative only and may vary depending on the model purchased, weather conditions, installation and bioethanol used.

This model comes with fixing brackets for permanently locating into a fixed position.



These models have manufacturer approved surrounds for the UL Listed AB8 burner.

FOR MORE INFORMATION PLEASE REFERENCE THE CLEARANCE & INSTALLATION MANUAL

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. The Fire Company Pty Ltd (TFC), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "The Fire Company"), disclaim any and all liability or any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. TFC disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify FTC Pt2s terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estopped or otherwise, to any intellectual property rights is granted by this document or by any conduct of TFC. Customers using or selling PTC products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify TFC for any damages arising or resulting from such use or sale. Please contact authorised personnel from TFC to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.